

Catmarine 33
Data sheet and
Price list

CATMARINE SRL VIA PAOLA E DANIELA BASTIANUTTI – 25 73035 LECCE (LE) TEL/FAX: +39 0833 761661 P.I. 03878130750 V.2016

Catmarine 33 - Technical specifications

TECHNICAL DATA	
Length ft	9,99m
Max length	5,50m
Draft	0.98m
Light displacement	5.5 t
Tanks Diesel	2 x 100 L
Homolog. CE cat	C
Capacity (passengers + crew)	38 people

All data are indicative and not binding

Construction

The hulls, the deck, the cockpit are built on a female mould and made of fiberglass and sandwich with 15/40 mm PVC and 75 kg/m3 density, worked and glued with isophthalic polyester resin.

The geal-coat used is of first choice neopentilic type, ice white, Ral 9003.

The wood of the interior is made of Okumè marine plywood. Cushions master cabin two seats The transoms are made of fiberglass and polyester resin.

Cockpit and deck

Raised fiberglass driving console with vtr top attached Stern door on steps with access to rudder rooms

4 seats 10 seats in fibreglass

Hydraulic steering system with stainless steel wheel 380 mm

Navigation compass

Electrical panel with 8 magnetic switches

2 batteries of 100 Ah

Charge divider two inputs-two outputs

Switch for battery coupling

8 electric bilge pumps

2 manual bilge pumps

4 anodized aluminium skids for access to hulls

6 250 mm and 300 mm stainless steel mooring cleats

2 stainless steel ladder to the stern

1 stainless steel windlass 700 W, anchor delta16 kg chain 35 m

Costs and Optional

Price offered free by our yard:

€ 149.900

Optional

Bimini with stainless steel tubular structure, Lighting with 3 led tubes in cockpit, polyester fabric cover,			
stainless steel side guard and forward draglines, helmsman seat	€	26150	
Bimini with GRP structure and steel or aluminium struts, including stainless s	teel side	rails	
side protection and forward drags and helmsman seat	€	39980	
Gate in tubular stainless steel	€	400	
Raymarine Axiom 9 GPS plotter with paper and Depth/Temp hull transducer	€	4500	
VHF complete with antenna	€	1390	
Stainless steel sink with faucet and glass lid mounted on external console	€	690	
Electric fridge double cassette 12 Volt 130 lt	€	3220	
External cushions with closed cell	€	1900	
1 removable shower in cockpit	€	500	
Stereo Hi-Fi Boss Marine 800 W in cockpit with 4 speakers	€	2900	
Blue led lights under cockpit	€	1840	
220 V system with: 30 A battery charger, dock socket,			
220 V square, 20m cable with plug and 220 V socket in console	€	2800	
1 extra service battery 100 Ah	€	600	
Extra fuel tanks 200 L	€	600	
Bathroom below deck equipped with 1 120 lt drinking water tank,			
autoclave, electric toilet, removable shower on stern step	€	5170	
Boiler 220 V with boiler kit to the right engine	€	2000	
Raymarine EV-200 autopilot with hydraulic actuator	€	4760	

50 hp ir	board motor with fixed blade propellers and SD transmission	€	35900				
Transpo	ort, final preparation, antifouling and launch at the port of Gallipoli	€	5750				
RINA "calm water" passenger transport approval							
(unless	modified from the already approved model)	€	95000				
The pa	ssenger transport approval shall include:						
✓	Declaration of construction start, construction management,	, launch d	declarati	on			
✓	Stability test and instructions to the commander						
✓	Technical documentation ex Art 35 security regulation						
✓	Fire extinguishing system according to RINA passenger transport						
✓	Bilge/fire protection system covered						
✓	Metal rudders and rudders						
✓	Compass compliant with the MED directive						
✓	Rolling and hull structures and deck according to RINA pass	enger bo	at transp	ort			
✓	Tonnage certificate						

All prices are VAT excluded. The data are indicative and not binding